

Series 157 Enviro-Crete

PRODUCT INFO

Conforms with:

- LEED v4.1 ID+C, BD+C: Low-Emitting Materials - Paints & Coatings*
- Collaborative for High-Performance Schools (CHPS): Paints & Coatings
- WELL Building Standard v2: X06 VOC Restrictions
- Living Building Challenge - Health + Happiness, Imperative #10

*Note: Sections shown are based on LEED v4.1

VOC Content

| | |
|--------------------------------------|---|
| Air District Regulation | South Coast Air Quality Management District (SCAQMD) Rule 1114 |
| Intended Use Category | Flat |
| VOC (g/L, Unthinned) | 45 |
| Manufacturing Location | North Kansas City, 64116 / Baltimore, MD 21223 |
| Shop or Exterior Applications | Coatings may contain any grams/Liter VOC content if applied to the exterior of the building or applied in shop. |

Materials and Resources (MR) Credits

| | |
|--|--|
| MR Credit 2: BPD - Environmental Product Declarations (EPDs) | Tnemec coatings do not meet credit requirements. |
| MR Credit 3: BPD - Sourcing Raw Materials | Tnemec coatings do not fully meet credit requirements. |
| MR Credit 4: BPD - Material Ingredients/ Health Product Declarations (HPDs) | At this time, Tnemec does not carry publicly available Health Product Declarations (HPDs). |

CDPH Emissions Testing

| | |
|-----------------------------------|--|
| Test Date | January 29, 2025 (Valid Jan. 2025 to Jan. 2026) |
| MAS Certificate No. | MAS2400774R1-02 |
| CDPH Scenario (Use) | Classroom / Private Office |
| CDPH Emissions Test Report | Available upon request or download the MAS Certified Green Certificate |
| Total VOC (TVOC) - 14 Days | 0.5 mg/m ³ to 5.0 mg/m ³ |
| Reference Standard | California Dept. of Public Health Standard Method v1.2-2017 |

For questions concerning this information, please contact:

Jennifer Gleisberg
 Director of Performance Coatings | Tnemec Company, Inc.
 +1 816-326-4264 gleisberg@tnemec.com

