

## Series N222 Deco-Tread

### PRODUCT INFO

#### Conforms with:

- LEED v4.1 ID+C, BD+C: Low-Emitting Materials - Paints & Coatings\*
- Collaborative for High-Performance Schools (CHPS): Paints & Coatings
- WELL Building Standard v2: X06 VOC Restrictions
- Living Building Challenge - Health + Happiness, Imperative #10

\*Note: Sections shown are based on LEED v4.1

#### VOC Content

<b>Air District Regulation</b>	South Coast Air Quality Management District (SCAQMD) Rule 1113
<b>Intended Use Category</b>	Floor
<b>VOC (g/L, Unthinned)</b>	15
<b>Manufacturing Location</b>	North Kansas City, 64116 / Baltimore, MD 21222
<b>Shop or Exterior Applications</b>	Coatings may contain any grams/Liter VOC content if applied to the exterior of the building or applied in shop.

#### Materials and Resources (MR) Credits

<b>MR Credit 2:</b> BPD - Environmental Product Declarations (EPDs)	Tnemec coatings do not meet credit requirements.
<b>MR Credit 3:</b> BPD - Sourcing Raw Materials	Tnemec coatings do not fully meet credit requirements.
<b>MR Credit 4:</b> BPD - Material Ingredients/ Health Product Declarations (HPDs)	At this time, Tnemec does not carry a publicly available Health Product Declarations (HPDs) for this coating.

#### CDPH Emissions Testing

<b>Test Date</b>	November 7, 2024 (Valid Nov. 2024 - Nov. 2025)
<b>MAS Certificate No.</b>	MAS2400671
<b>CDPH Scenario (Use)</b>	Classroom / Private Office
<b>CDPH Emissions Test Report</b>	Available upon request or download the <a href="#">MAS Certified Green Certificate</a>
<b>Total VOC (TVOC) - 14 Days</b>	<0.5 mg/m3
<b>Reference Standard</b>	California Dept. of Public Health Standard Method v1.2-2017

For questions concerning this information, please contact:

Jennifer Gleisberg  
 Director of Performance Coatings | Tnemec Company, Inc.  
 +1 816-326-4264 [gleisberg@tnemec.com](mailto:gleisberg@tnemec.com)

