

Series 1028 Enduratone

PRODUCT INFO

Conforms with:

- LEED v4, 4.1, v5 BD+C, ID+C: Low-Emitting Materials - Paints & Coatings*
- Collaborative for High-Performance Schools (CHPS): Paints & Coatings
- WELL Building Standard v2: X06 VOC Restrictions
- Living Building Challenge - Health + Happiness, Imperative #10

*Note: Sections shown are based on LEED v5

Materials & Resources (MR) Credits

MR Credit 3: Low-Emitting Materials

Air District Regulation	South Coast Air Quality Management District (SCAQMD) Rule 1113
Intended Use Category	Industrial Maintenance
VOC (g/L, Unthinned)	85
Manufacturing Location	North Kansas City, 64116 / Baltimore, MD 21222
Shop or Exterior Applications	Coatings may contain any grams/Liter VOC content if applied to the exterior of the building or applied in shop.
Test Date	April 20, 2026 (Valid April 2026 - April 2027)
MAS Certificate No.	MAS2600141-01R1
CDPH Scenario (Use)	Classroom / Private Office
CDPH Emissions Test Report	Available upon request or download the MAS Certified Green Certificate
Total VOC (TVOC) - 14 Days	0.5 mg/m ³ to 5.0 mg/m ³
Reference Standard	California Dept. of Public Health Standard Method v1.2-2017

MR Credit 4: Building Product Selection & Procurement

Human Health: Health Product Declaration (HPD)	At this time, Tnemec does not carry a publicly available Health Product Declaration (HPD) for this coating.
Climate Health: Environmental Product Declaration (EPD)	At this time, Tnemec does not carry a publicly available Environmental Product Declaration (EPD) for this coating.

For questions concerning this information, please contact:

Jennifer Gleisberg
 Director of Performance Coatings | Tnemec Company, Inc.
 +1 816-326-4264 gleisberg@tnemec.com

