



LEED v4.0 INFORMATION SHEET

SERIES 118 UNI-BOND MASTIC

VOC Data — Indoor Air Quality (IEQ): Low Emitting Materials Credit 2

Air District Regulation:	South Coast Air Quality Management District (SCAQMD) Rule 1113
Intended Use Category:	Industrial Maintenance
VOC (g/L – Unthinned):	31 g/L
Manufacturing Location(s):	North Kansas City, 64116
Product URL:	Series 118 Uni-Bond Mastic
<i>Shop or Exterior Applications:</i>	Coatings may contain any grams/Liter VOC content if applied to the exterior of the building or applied in shop.

Materials & Resources (MR) Credits

MR Credit 2: BPD: Environmental Product Declarations (EPDs):	Tnemec coatings do not meet credit requirements.
MR Credit 3: BPD: Sourcing of Raw Materials:	Tnemec coatings do not fully meet credit requirements.
MR Credit 4: BPD: Material Ingredients — Health Product Declarations (HPDs):	At this time, Tnemec does not carry publicly available Health Product Declarations (HPDs).


Self-Certification — Emissions Testing

UL Environment Test Report Number:	1000648847-2146508
CDPH Scenario (Use):	Classroom / Private Office
CDPH Emissions Test Report:	Available upon request
Total VOC (TVOC) – 14 days:	between 0.5 and 5.0 mg/m ³
Reference Standard:	California Department of Public Health CDPH/EHLB Standard Method Version 1.2 Emissions Testing (Section 01350).

Affirmation and Digital Signature

I affirm that I am authorized to make claims in this declaration:	Yes
I certify that the information in this declaration is true and correct:	Yes
I agree to submit a new certification should any of the above information change:	Yes
Date:	April 17, 2019
Name of Company Representative:	Jennifer Gleisberg
Title:	Inside Sales Manager
Contact Information:	Gleisberg@tnemec.com

Signature Field:



Jennifer Gleisberg



INNOVATION IN EVERY COAT™