

Series L69 Hi-Build Epoxoline II

PRODUCT INFO

VOC Data - Indoor Air Quality (IEQ): Low Emitting Materials

| | |
|--------------------------------------|---|
| Air District Regulation | South Coast Air Quality Management District (SCAQMD) Rule 1113 |
| Intended Use Category | Industrial Maintenance |
| VOC (g/L, Unthinned) | 98 |
| Manufacturing Location | North Kansas City, 64116 / Baltimore, MD 21222 |
| Shop or Exterior Applications | Coatings may contain any grams/Liter VOC content if applied to the exterior of the building or applied in shop. |

Materials and Resources (MR) Credits

| | |
|--|--|
| MR Credit 2: BPD - Environmental Product Declarations (EPDs) | Tnemec coatings do not meet credit requirements. |
| MR Credit 3: BPD - Sourcing Raw Materials | Tnemec coatings do not fully meet credit requirements. |
| MR Credit 4: BPD - Material Ingredients/ Health Product Declarations (HPDs) | At this time, Tnemec does not carry publicly available Health Product Declarations (HPDs). |

Self-Certification - CDPH Emissions Testing

| | |
|-----------------------------------|--|
| Test Date | August 5, 2020 (Valid for 1 year) |
| MAS Certificate No. | MAS2000445 |
| CDPH Scenario (Use) | Classroom / Private Office |
| CDPH Emissions Test Report | Available upon request. |
| Total VOC (TVOC) - 14 Days | 0.5 mg/m ³ or less |
| Reference Standard | California Dept. of Public Health Standard Method v1.2 |

For questions concerning this information, please contact:

Jennifer Gleisberg
Inside Sales Manager - Tnemec Company, Inc.
+1 816-326-4264 gleisberg@tnemec.com

